

# LIBERVIT ORANGEline

manual & hydraulic forcible entry tools

# LIBERVIT ORANGEline

extrication urban search & rescue tools



watery rescue tools

From a general point of view, even the most efficient equipment will not themselves be the solution to deal with all situations. They cannot guarantee the expected result, nor eliminate any risk for the rescuers.

As a manufacturer we OWE to ourselves and to the users to give priority to quality, reliability, performance, and innovations.

We will never be confronted to front-line situations, but you, on the other hand are facing them daily in France or elsewhere around the world and sometimes while using some of our tools.

It is at this very moment that our choice of components, raw materials to manufacture the tools that you are using, at this very moment, when you are about to save lives that the equipment must itself be failproof!

Internationally, France benefits from a strong reputation in the fields of security and victims' relief at the operational knowhow level as much as in the equipment manufacturing.

At LIBERVIT, we are experienced technicians, our professional ethic is unwavering and above all we know and respect those using our products and because of this close relationship we have considered their insights and suggestions in the making of our tools.

We pride ourselves in manufacturing French. All the labelled equipment that you had, have, or will have in your hands, are made in France with more than 90% of components and raw materials of French origin or from close European Union countries such as Germany, Norway and Italy.

Our 25 years in the design and manufacturing of hydraulic and mechanical tools with land and water applications for the Firefighters, the Army and Police Special Forces, our seriousness, our professionalism, and our never ended search for innovations has made us a key player within these professional environments.

LIBERVIT is represented in over 60 countries through our specialized Distributors network offering commercial advice, demos, maintenance and after sale service. All of the LIBERVIT team and myself are available to ensure that none of your question remains unanswered.

We wish you a pleasant read.

Yvan CARDONA, CEO

#### Quality & Reliability

Our organization, from engineering to customers' service is ISO 9001 certified. It guarantees a high quality, life-long performance and complete reliability of our tools and equipment.

Unless otherwise specified by us, our equipments are guaranteed for 2 years from the dispatch date. The guarantee covers construction defects as well as material flaws noted by our services.

LIBERVIT will provide, for a minimum of 10 years after delivery, any of its tools' spare parts. All our equipments comply with  $C \in S$  standard.

All our tools undergo rigorous test & control before shipment.





### LCHT1 heavy-duty work unit

to help you in your choices we offer you some suggestions of extrication, hydraulic tools as well as urban search & rescue sets.









The LCHT2 heavy-duty work set is for each of them including a petrol driven hydraulic power unit, two hydraulic hoses extension, one hydraulic cutter, a hydraulic spreader, a telescopic jack with two extensions and a jack right angle tool.



urban search & rescue heavy-duty work unit : réf. LCHT2
CHT2 petrol driven hydraulic power unit (allows the alternate use of two tools)
LFG hydraulic hoses (xZ)
LD2 hydraulic cutter (long straight blades)
E500 hydraulic spreader
VT500.10/5 telescopic hydraulic jack and its R169 & R455 extensions
ADVI jack right angle tool

### LCHT2 heavy-duty work unit



CHT2 petrol driven hydraulic power unit for heavy duty work		
petrol driven hydraulic power unit	ref. CHT2	
operating pressure	300 bar	
engine	Honda® GX 160 - 4 stroke	
cont. rated power	2.9 kW (3.9 HP) / 3 600 rpm	
fuel tank capacity	3.1 L. / 1 gal	
fuel	super unleaded gasoline	
oil tank	mineral oil	
hydraulic connections	2	
tools operated	two alternatively	
dimensions	570 x 420 x 410 mm - 10.5 x 4.5 x 4 inch	
weight, ready to use	35 kg - 77 lbs	
temperature scale	-20°C - +55°C	



LF6 hydraulic hose (x2)		
hydraulic hose	ref. LFG	
lenght	6 m - 20 ft	
weight	2.4 kg - 5 lbs	



E500 hydraulic spreader	
short arms spreader	ref. E500
maximum arms' opening	500 mm – 19.5 inch
maximum thrust	50 kN
dimensions	680 x 270 x 170 mm - 27 x 11 x 7 inch
weight	15.2 kg – 2.3 st



hydraulic jack	ref. VT500.10/5	
first stage thrust	100 kN	
second stage thrust	49 kN	
jack's stroke	380 mm - 1.2 ft	
jack's dimensions	495 x 78 x 240 mm - 19.5 x 3 x 1	O inch
jack's weight	10 kg - 22 lbs	
2 extensions	ref. R169	ref. R455
extension's dimensions	169 x 64 mm - 6.6 x 2.5 inch	455 x 64 mm - 18 x 2.5 inc
extension's weight	780 g - 1.7 lbs	2.3 kg - 5 lbs




ADVI jack right angle tool	
dimensions	410 x H 260 x I 150 mm - 16 x 10 x 6 inch
weight	7.9 kg - 18 lbs



LD2 hydraulic cutter	
long straight blades hydraulic cutter	ref. LD2
maximum blades opening	250 mm - 10 inch
maximum thrust	400 kN
maximum cutting capacity	0 22 mm – 0 0.8 inch barre d'acier
transport handle	qty 1
service handle	aui
dimensions	675 x 247 x 235 mm - 26 x 10 x 9.5 inch
weight	13.3 kg - 2 st

# LCHT2 heavy-duty work unit





R

> QUOTATIONS : quotations@libervit.com



ORDERS : orders@libervit.com



> AFTER SALES SERVICE : aftersales@libervit.com

We have tried to be as thorough as possible in the making of this document.

However, some information might be incomplete or incorrect. LIBERVIT SAS cannot in anyway be held responsible for any of the consequences these errors could have.

If in doubt about some of the information rightness please contact our communication service through e-mail: communication@libervit.com

This document cannot be reproduce in part or entirely, be edited or distributed to the public without an authorization from LIBERVIT.

With all our thanks to the units authorizing us to use their pictures in this catalogue.

The information in this catalogue is not contractually binding.

With the aim of improving its products, LIBERVIT reserves the right to modify their specifications without prior notice.

COPYRIGHT - All rights reserved. Non-contractual photos

Photo credit: Search & Rescue teams | © Enrique LARIVÉ | © Yvan Chocoloff | LIBERVIT LIBERVIT communication | communication@libervit.com

**LIBERVIT** - Espace Polygone - 218 rue Ettore Bugatti - 66000 Perpignan - FRANCE Phone : + 33 (0)4 68 50 05 25 - Fax : + 33 (0)4 68 66 98 97 - courrier@libervit.com - www.libervit.com





> QUOTATIONS: quotations@libervit.com



> ORDERS : orders@libervit.com



> AFTER SALES SERVICE : aftersales@libervit.com



libervit.com



gallery-libervit.com

We have tried to be as thorough as possible in the making of this document. However, some information might be incomplete or incorrect. LIBERVIT SAS cannot in anyway be held responsible for any of the consequences these errors could have.

If in doubt about some of the information rightness please contact our communication service through e-mail: <a href="mailto:communication@libervit.com">communication@libervit.com</a>

This document cannot be reproduce in part or entirely, be edited or distributed to the public without an authorization from LIBERVIT.

LIBERVIT - Espace Polygone - 218 rue Ettore Bugatti - 66000 Perpignan - FRANCE Phone : +33 (0)4 68 50 05 25 - Fax : +33 (0)4 68 66 98 97 - courrier@libervit.com www.libervit.com